

Mr Mogonathie College

1853.	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Jan'ry							1
	2	3	4	5	6	7	8
	9	10	11	12	13	14	15
	16	17	18	19	20	21	22
	23	24	25	26	27	28	29
	30	31					
Feb'ry			1	2	3	4	5
	6	7	8	9	10	11	12
	13	14	15	16	17	18	19
	20	21	22	23	24	25	26
	27	28					
March			1	2	3	4	5
	6	7	8	9	10	11	12
	13	14	15	16	17	18	19
	20	21	22	23	24	25	26
	27	28	29	30	31		
April						1	2
	3	4	5	6	7	8	9
	10	11	12	13	14	15	16
	17	18	19	20	21	22	23
	24	25	26	27	28	29	30
May	1	2	3	4	5	6	7
	8	9	10	11	12	13	14
	15	16	17	18	19	20	21
	22	23	24	25	26	27	28
	29	30	31				
June				1	2	3	4
	5	6	7	8	9	10	11
	12	13	14	15	16	17	18
	19	20	21	22	23	24	25
	26	27	28	29	30		

1853.	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
July							
	3	4	5	6	7	8	9
	10	11	12	13	14	15	16
	17	18	19	20	21	22	23
	24	25	26	27	28	29	30
	31						
Aug.		1	2	3	4	5	6
	7	8	9	10	11	12	13
	14	15	16	17	18	19	20
	21	22	23	24	25	26	27
	28	29	30	31			
Sept.					1	2	3
	4	5	6	7	8	9	10
	11	12	13	14	15	16	17
	18	19	20	21	22	23	24
	25	26	27	28	29	30	
Oct'r							1
	2	3	4	5	6	7	8
	9	10	11	12	13	14	15
	16	17	18	19	20	21	22
	23	24	25	26	27	28	29
	30	31					
Nov.			1	2	3	4	5
	6	7	8	9	10	11	12
	13	14	15	16	17	18	19
	20	21	22	23	24	25	26
	27	28	29	30			
Dec.					1	2	3
	4	5	6	7	8	9	10
	11	12	13	14	15	16	17
	18	19	20	21	22	23	24
	25	26	27	28	29	30	31

I thought - my child would not become one of the common dust!!

Two pair of pumps





1852 Sims. M.D. Dec. 21

Practice of the Humane Society

Williamson Dec. 21

Car. Barita. continued. Headache worse in the evening. Sense of weight and throbbing in the occiput. aggravated by noise, and in a warm room. Scaby eruption on the scalp with falling of the hair. Dryness and soreness of the eyes foggy vision. sparks before the eyes Coryza. bleeding of the gums. Ulcers border on the gums. Odontalgia of pregnant females Sensation of a raw spot in the throat. accompanied by dark brown urine. Loss of appetite. Great debility of gastric symptoms. Heart-burn. Pain when the food is passing to the stomach. worse during motion. Pain in the sacral region while defecating.

1852 Dec. 21

Difficult retention of Urine. Aphonia. Short hacking cough. Glandular swelling.

Muriate of Barites. Scrofulous affections, prostration, weakness. Increase of the secretions and excretions. Increased sensibility of the whole nervous system. Fetid ichorous discharges from old ulcers. Tinea capitis. Intermittents of the tertian type. Pertigo imbecility. Headache with vomiting. Metallic taste in the mouth. Ulceration of the inguinal glands. Some forms of paralysis.

Carbo animalis. prepared by trit. Proved by Hahnemann. adapted to scrofulous constitutions. affections of the mammary glands. Epilepsi. Liability to take cold.

Venereal bubo. Crusta lactea. Erisipelas. Typhoid fever of the abdominal variety. Various affections of the alimentary canal - alterations, are made by trit. proved by Hahnemann

Carbo veg.

1852 Helmuth Dec. 21.

Dyspepsia continued

Scarcely a remedy in the Materia Medica that is not called for in this disease. Nux vom. China. Ars. Col. Puls. are remedies for flatus Sulp. when flatus manifests a disposition to return. Graph. for borborigmus. Aporexia. Cham. Puls. etc. Ravenous appetite. Calc Car. Chin. also Lyc. Saba. desire for sweet. Sep. desire for acids and if the hunger is not satisfied

there will be a large accumula-
ty of saliva in the mouth.

1852 Gardiner Dec. 21st

1. Plantaris. 2. Tibialis postaeus
Flexor longus pollicis.
Flexor longus digitorum
Popliteus.
Extensor brevis digitorum
Internal & External annular lig.
Plantar fasia.
Flexor brevis digitorum
Abductor pollicis
Abductor minimi digiti.
Accessorius.
Lumbricales.

Muscles of the cervical region
Platysma myoides

Boundaries of the cervical region.

1852

1852 LOOMIS. Dec. 22

Obstructive labour.

Three varieties. Viz. 1 where the natural force is sufficient to overcome this obstruction 2. Where this obstruction can be overcome by assistance 3 Where this obstruction cannot be overcome, or performed by the natural passages.

When the os uteri is diseased there is in the majority of cases premature labour. Another cause of obstruction is narrow passage of the vagina. Morbid pathological conditions in the form of tumours.

SMALL

Subject of sensation next lecture

M. E. Small

LOUIS
SMALL

1852. SEMPLE Dec 23

Iodine. Bromine & Chlorine

SIMS.

Fracture of the humerus. & of the fore arm.

Williamson.

Carb. Colliquative sweats or diarhea. Collapsed conditions. Low forms of fevers Venous circulation predomint in the capillaries. giving the skin a purple hue. prostration or weakness from loss of animal fluids. Scorbutics. Excessive sensitiveness by change of atmosphere. Intermittants. Jaundice Anginose forms of Scarlatina Urticaria. Erisipelas. Variola Eruptive diseases threatning gangrene One of the best antidotes to Zymotic Typhoid diseases. Disposition

in the
Cholera
of the
overst
arising
Drapes
Symton
side
Hyposec
chiefly
bronic
has a
Lesion
prepa
Cerebr
espec
Spasm
Pneum
of Chi
with
in Lyi
Tehore
symtom

SEVILLE

SIVE

in the skin to alternate. Asiatic Cholera when there is danger of the vital organs ceasing. Over stimulations. and the diseases arising from. Pneumonia Dropsical affections. Symtoms predominate on the left side

Hyoscyamus nigra. 5 class 1 order chiefly found in gravely places biennial plant. when recent it has a strong narcotic or odour. Leaves. flowers and stems are prepared. Proved by Hahnemann Cerebritis most useful remedy especially in Children. Epilepsy Spasmatic cough. worse at night Pneumonia, Spasmotic affections of Children. Puerperile fever with cerebral symtoms. Diarrhoea in lying-in women. Hematemesis Chorea. Epistaxis. Syncope

Symtoms worse at night

Stramonia, Gymson. 5 class 1 order

All parts of the plant is used for medicinal purposes. But the seed is mostly used. Proved by Hahneman action short Cutaneous affections. Spasmodic affections. feeling about with the fingers, patient lies with his eyes shut. but is not asleep. Children laugh in their sleep. Eruptions slow coming out.

1852 HELMUTH Dec 23.

Gastralgia.

Two kinds. Cardialgia, and Gastrodinia. Remedies for the former are Casbo veg. Cham China. Nuxvom, Puls. Rhus. Sulph. Sepia. Remedies for the latter, division, are Nuxvom. Carveg. Puls. Cham

Igna. P
menstru
Bry. –
mecha
is a rem
Carlton
of Bary.

1852.

Ster
Ster
Ster
Thy
Om

Typ
Di
Sta
Mo
Ger
Ge
Hy

elevations. of lymph. dispositions

Igna. Bel. In females with menstrual derangements. Cal. Bry. — China. Arn. if from mechanical injury. Nit. of Bismuth is a remedy also used by Allopaths. Car. Animalis. Nat. Mur. Carb. of Bary. Castor. Meagn.

1852. Gardiner. Dec. 23.

Sterno-cleido-mastoideus.

depressors
- Sterno-hyoideus.
- Sterno-thyroideus.
- Thyro-hyoideus.
- Omo-hyoideus.

Thyroid gland

elevators
- Digastric.
- Stylo-hyoideus.
- Mylo-hyoideus.
- Genio-hyoideus.
- Genio-hyo-glossus.
- Hyo-glossus.

Vermix Caseosa.

1852. # LOOMIS Dec. 24

Obstructed labour Continued.

SMALL

Subject of sensation deffered

Willimson

Stram. continued. Inability to sleep. Deafness. Insensibility Opium. Short in its action Proved by Hahnemann. Mental emotions from fear, diarrhea. Nervous derangment more of the sensorial than that of the spinal chords Fevers with coma. Puerperal fever. Vertigo. from tobacco Suppression of the menses from mental emotions. Pertussis with Constipation. Functional and organic diseases of the head Coffee 5 dop and 1st order.

This med... Proved ... 8 day. ea... and man... Cases, and ... afterbirth ... fever. H... of blood t... Weakness ... especially ... the plea... Apoplexy ... with gi... sensiti... chara...

1852 H...

This medicine will produce abortion
Proved by Staph. action about
8 day. compares with Acon. opium
and many other of the remedies
Cries and restlessness of children
after being awakened. Puerperal
fever. Headache from congestion
of blood to the head. Deafness.
Weakness of the digestive organs
especially from indulging in
the pleasures of the table.
Anorexia. Convulsive diseases
with grinding of the teeth. Over
sensitiveness. Left side is
characteristic.

1852 HELMUTH Dec. 24.

&

Gardiner

Both absent.

1853. LOOMIS Jan 3d

Obstructions from deformed pelvis
Usually this obstruction takes
place at the second stage.
Six. 1 Pelvis too large. In face
or breach presentations a large
pelvis is of advantage. 2 Pelvis
too small. 3 Deformity at the
brim. 4 Deformity in the cavity
of the pelvis. 5 Exostosis of the
sacrum. 6 Deformity at the
outlet. Anchylosis of the coccyx
it should be operated upon
by severing the joints.

WILLIAMSON

Calcaria Carbonica. found
in marble limestone alibaster
gases. Mineral waters, base
of the bones of all animals, coral
eggshells &c. Proved by Hah.

Proper menstruation appearing two
years. The younger the children
the oftener is the remedy is to be
repeated. providing it is through
medium of light complexion
rapid growth. scrofulous taint
and fat children. Hemorrhoidal
affection, sickly affections.
Leucorrhea. Diarrhoea from
cold. Individuals of a frail
weak constitution. Diseases
of the reproductive agents.
Scrofulous disease, or the
diseases of infants. frequent
crying pains in the bowels.
discharge of mucous from
the anus. Nervous diseases
from menstrual derangement
Hysteria. Hypochondria. Onanism.
Children slow in walking.
Epilepsy. Chlorosis. cutaneous diseases
General symptoms painless twitching

Tearing in the limbs. Incipient Phthysis. Atrophy. Dyspepsia & emaciation with good appetite. Obesity in young persons. Palpitatio Cordis. Herpetic eruptions. swelling of the cervical and submaxillary glands. aversion to meat. constipation of Children. Chronic rheumatism.

Graphites. black lead. Carburet of Iron. plumbago. mineral cur. incipient and indolent. Prip. boiled an hour in rain water. Dry Letters. Prepared by Bute. Proved by Hahnemann. Scrofula. Chronic eruptions which crack and bleed when cold. Menstrual difficulties. Dysmenorrhea attended with headache and soundings in the ears. Erisipelous Tinea Capitis. Humid Letters.

ulcers.
Palpita
Hæmor
tos scan
An open
orbicul
1853
Infam
Acon
Bell.
Merc.
Nit.
Nux vom
Cantha

cal cess. of the extremities.
Palpitatio cordis. Dyspepsia.
Heamorrhoïds. Menses too late and
too scant in quantity. Dread of
the open air. Pulsations over the
whole body.

1853 HELMUTH Jan. 3.

Inflamation of the intestines
Acon. tenderness, cold extremities
Thirst dryness of mouth etc.
Bell. burning in the abdomen
drawing in of the abdomen
pressure in the umbilical
region. Great sensibility
Merc. burning in the umbilical
region cracks red and hot
Ars. burning vesicles in the
inguinal region
Nux vom.
Cantharis violent pains Death.



Bry. pains from below upwards.
Acon Bell Merc and Canthar
will meet the symtoms of the disease
Merc phos calcia nit acids
for

Dysentary. inflamation
of the mucous coat of the
colon. though it often extends
to the small intestine. Fever
appears before the discovery of
the intestinal disorder. Tenesmus
is a characteristic symtom of the
disease. Wether the disease is
contagious or non contagious
is a matter of discussion.
China Acon. Cham. Puls.
Acon when the disease is first ushered
in premanitory symtoms set in
also. for bilious difficulties.
Bell if the patient be plethoric
fever begins in the afternoon
and ceases at midnight.

Nux vom. Much tenesmus. severe
cutting pains in the umbilical
region. Mer. sol. discharge
of bloody mucous with tenesmus
preceded by cold sweat on the
face. When there is
tenesmus before the evacuation
discharge of pure bile follow
by tenesmus. symptoms aggra-
vated by night.
Cham. Tongue foul. bilious.
disease of a catarrhal or-
der. Colocynth. violent
cramp like pain in the
epigastric region. pains
relieved after the evacuations.
drink often desires but aggravate
the symptoms.
Ipecac. after Acon. stools
first bilious. autumnal dysentery
Veratrum. watery sanguineous
discharges. Cantharides. Pain

discharges streaked with blood. Carbo veg. burning accompanied with cutting. Pulsating evacuations have a mucous character. * Rastor in more advanced stages of the disease nocturnal evacuations. Sulph. In low forms of the disease. dispnea. violent tenesmus. some Constitutional disorder. tongue dark. margins white. loss of appetite. Nit. acid. constant tenesmus without evacuations. Plum with evacuations

1853 Gardiner Jan 3

Splanchnology

There cavities in the body are termed splanchnic and the organs found in either of these cavities are termed

viscera. Those of the stomach are divided into digestive and the other genito urinary digestive apparatus divided into two portions being divided by the diaphragm. All cavities which come in contact with the atmospheric air are lined with mucous membrane very dense on the gums but not so on the tongue and lips. Lips formed by the Orbicularis muscles. The cheeks by the buccinator muscle.

1853 Semple Jan 14

Atmospheric air

Sims.

Fractures of the Carpal et Metacarpal

Also of the Pelvis & its circumference

Of the femur

Sermon

1853. Williamson Jan. 4th

Silicia. silicic earth. pure white powder. small spec. grav. Three pests atten. by trituration Prov. by Hah. Longest action of all medicines. One of the most important, also. It is used in Polipi. Scrofulous affection diseases of the bones. Caries rickets etc. Chronic diseases of the skin. tenia capitis. carbuncle. Tumours. Induration of the inguinal glands of long duration. promotes suppuration cadaverous tumours. Abscess and slow ulcers. of long standing lumbar abscess. Tubular abscess Fistula. Whitlow. Hectic fever worm fever of Children. Fungus hematodes. Ulceration of the cornea. Opthalmia Deafness. Physical defect of

the ears. Ulcerations of the palate, various dropsical affections of pregnant females. Great scanty of urinary organs attended with frequent desire to urinate. Calculus. Nocturnal involuntary discharge of urine. Gonorrhoea. Stricture of the urethra. Aneurism.

Hepar Sulphuris calcareum. combination of sulphur and calcium, inodorous when dry, fetid smell when moist. one of the most disagreeable odours in the world. Proved by Hahnemann. Very valuable in cutaneous diseases. Glandular affections. Hoarseness with cough. Lumbar abscess. Symptoms worse at night before midnight but in

catarrhal affections worse
after midnight

1853. Holmuth Jan 1 Thu

Diarrhea.

The causes of this disease, are
various. In bilious diarrhea
there, a green appearance of
the excretions. In catarrhal
diarrhea there is a mucous
discharge. Remedies of this
disease are. Dulcamara.
discharges watery or serous.
Bny. evacuations preceded
by colicky sensation & fermentation
in the abdomen. or when the
disease is caused by suppressed
perspiration. Cahamba. has been
used without effect our present
remedy will be called for.
Cetrarin with colicky pains
of children during dentition

China. stools watery soft undigested
and of a putrid odour.
Ferrum. stools frequent and watery
often without pains, abdomen
hard and inflated. of Children
of consumptive parents.
Puls. color of the stools any
discharge before midnight
or directly after rising in
the morning evacuations
scanty the worse disease
produced by fruits & sweet
Merc Sol. when the disease
has a disposition to run into
dysentary. Ars. evacuations
watery of a brownish color
evacuations cold & tremulous
etc. Ipecac. watery discharge
in children. Chronic cases.
Rhub. evacuations frequent
of a putrid odor saliva complex
in Carb. Mag. per China

Sulph. for obstinate forms of diarrhoea. Nux vom urging and tenesmus. Calc. Carb. for clay colored stools. Sepia for scanty diarrhea, or very fetid. discharges made suddenly stools jelly like appearance Phos. and stools of a whitish color without pain. Phos. Tongue brown. pains before discharge benzoic gives white stools. Ant. watery diarrhea. Rustox. for nocturnal discharges. Verat. for cases of chronic diarrhea preceded by violent movements in the abdomen Hepar Sulph. peculiar appearance of stool diarrhea Calcarea Petroleum with excessive weakness. Various other remedies for this disease but is not convenient to mention

1853.

1853. Gardiner Jan 4

Tongue.

Hioglossus and Genio-Hioglossus form chiefly the bulk of the tongue. muscles divided into intrinsic and extrinsic

Tongue divided into Three portions base, body and tip

Superior surface of the tongue is called the dorsum. The tongue is also divided laterally by a fibrous septum from the base to the tip. Lingualis muscle found on the superior surface of the tongue. Superficial lingualis is situated immediately below the mucous membrane of the dorsum of the tongue

Foramen cæcum is a cup shaped cavity containing a larger papillæ The roughness of the dorsum of the tongue is owing to the

numerous mucous follicles
there located. Fungiform
papillæ can be found over
the dorsum but are not so
numerous as the filiform
papillæ. Calciform papillæ
situated on the base of the
tongue. The extrinsic muscles
protrude the tongue from
the mouth.

Pharynx.

About 4 or 5 inches in length
larger superiorly than
inferiorly. Funnel shaped.
Has constrictor muscles.
Stylo pharingeus muscle
Stylo glossus muscle
Seven openings in the posterior
portion of the pharynx
viz. posterior nares. openings of the
Eustachian tubes, Isthmus of the
fauces. remaining opening is the
oesophagus.

1853 J. G. Loomis M.D. Jan. 8th.

Operations for premature labor.

Never perform this operation at what would be a menstrual periods. more caiful in the after treatment.

Small.

Sensation.

Gardiner,

Tonsils.

Made up of a collection of mucous follicles. found between the anterior and posterior palatine arches. They are in contact with the external and internal carotid arteries. Nine regions of the abdomen Scrabiculas, cardis. and pubic are two additional regions. All shut sacs, are lined with serous membrane. one exception

Squall

Cardozo

Peritoneum and its reflections
Omentum use to form early
distention of the stomach
generally covered with a
great deal of adipose tissue
Liver below the transverse
fissure of the liver is the
opening of Winslow. Situation
of the viscera. The gall bladder
is chiefly filled in death even
from starvation.

1.1. Hypochondriac regions
2. Epigastric region
3.3. Lumbar regions
4 Umbilical region
5.5. Iliac regions
6. Hypogastric region

1853 M. Semple Jan. 6th.

Experiments with the air pumps.
Stomach pump etc.

Sims.

Fracture of the femur

Williamson

Iodine. It can be prepared by trituration but it is better prepared by dissolving with alcohol. Proven to some extent by Hahn. It is usually indicated for swelling of the glands. Syphylis. Ulcerations. One of the best antidotes for mercurial action. Iodine and Hydriodate of potash, are two very important remedies for disorders of the respiratory system. Uterine Hemorrhage. Triturated with starch is a good plan of administering it. a very valuable remedy.

Bromine. Found in Marina productions. Found in greatest quantity in the mother water of Kelp. Highly useful in threatened pulmonary phthysis. Important in Europe. Poisonous in warm room and when chilly. Aggravations from evening until midnight. Sensation of fulness of the head when it opens.

China. Cynchona officinalis. fifth class 1 order.

1853. H. S. Smith. Jan. 6. the Cholera

Morbus. Nausea vomiting shivering and abdominal pain. vomiting of ingesta. these are the symptoms of the mild character but in a more violent form

There is violent vomiting, and purging. colicky pains, cramps much thirst. pulse intermitted cold extremities. cold sweates and great prolapse.
Seat of this disease has not been discovered by post mortem examination
Cham. if the disease is caused by passion frequently repeated
Ipecac. should the vomiting not be checked. sensation of emptiness in the stomach
Verat. diarhea and vomiting very severe, symtoms aggravated violent cutting pain in the umbilical region.
Ars. attack begins with great prostration. great anxiety
Colc. Intermitted vomiting evacuations becoming watery suppression of urine

Sanchona. vomiting of
incista. or produced by
eating unripe fruit.
Dulc. produced by cold drink
violent thirst cold extremities
Constipation. two kinds.
viz. constipation, and obstipation
Causes. Simulating drinks
astringent diet. Too little
fluid taken into the stomach
with the solids. It also arises
from food which too little
stimulates. Stricture in the
intestinal tube may also
be a cause of the disorder.
Obstipation resembling very
much those of labor pains
and in females very difficult to discern
Bryonia. occuring in warm
weather. daily a dose in
chronic cases.
Nux vom. with determination

of blood to the head. or if the
disorder is produced by undiges-
tible food. from sedentary habits
by session study etc.
Opium. is suited p. recent cases
throbbing or weight in the abdomen
Puls. arises from indulging
in the pleasures of the table
Platina. when produced by
traveling. Lycopo. desire for
stool in the evening. a feeling
as if there would be a copious
discharge but very little is
evacuated. Graph. suited to
the persons of a scrofulus diathesis
or any other cutaneous disorders
Alumina. obstinate constipa-
tion hard dry. and broken
Sulp. in chronic form with
a disposition to hemorroids
frequent & unsuccessful attempts
to evacuate the bowels.

Verat. inactivity of the rectum
Nat mur. very obstinate, when
there is no desire to discharge
the bowels.
Rum. also for obstinate costi
Carbveg. where there is much
flatus. also for hard stools.
Conium. where these symtm
appear in old persons
Bost. ineffectual efforts.
Sepia. when Bulk and Size
are of no avail
Zinc — — — — —
Nit acid. when accompanied
with syphylis.
Constipation may also be
caused by a foreign body
locating itself in the alimentg
canal. Arum. Nux vom
Eae. when caused by hernia

1853 (J. G. Loomis.) Jan. 7th

In a case where the patient is mentally deranged, or where there is danger of the patient doing mischief Abortion should be produced.

Version, or Turning

This operation consists in introducing the hand, per vaginum, and turning the child. In a natural presentation you may be obliged to change it when there is convulsions, or hemorrhage. Proportions of cases which require turning is 1. to 112 And about 15 to 100 of the mothers die, ⅓ of the children die.

Turning must be performed before the first stage sets in.

Divides this in three classes. Viz. 1 Introduction of the hand. 2 Turning the child. 3 Extraction of the feetus.

1853 Small. Jan. 7th

Appendiges of the Skin.

Plica Polonica is a disease termed in plainer words, platting of the hair.

Williamson. cinchona.

China. continued (Peruvian bark)

bark of the tree used for medicinal purposes. 21 species known to botanists.

General symtoms. uneasiness nervous irritation. excessive debility. weakness from loss of animal fluids. pains with weakness of the affected part. emaciations.

Pains worse at night. form of pain, an dusty aching pain. This remedy is adapted to diseases that assume a periodical form. endemic fevers. Rheumatic fevers.

Three cabbage leaves in the cellar.
Miasmatic dysentary also similar forms diarrhea. Hahnemann especially the uterine variety.
Puls. Ars. Natrum. Nux. Sulphur.
are antidotes to this medicine
The symtoms of a remedy resembling those of another remedy. both these remedies are antidotes to one another.
Congestions of the internal organs especially of the liver and spleen more particularly of the latter. Too long continuance of the discharge of Lochia.
Pneumonia. Thapient stage of Phthysis pulmonalis.

1853 Helmuth San. 7th.

Colic.

Kinds almost as numerous as the causes. Some of the causes are

eating of unripe fruit. indigestible food. flatulent food etc. If the stomach is the seat of the disorder large portions of flatus is evacuated from the mouth but if the intestines are the seat of the disorder large portions of flatus will be discharged from the anus. Nux vom. for flatulent colic pains increase by motion also for the periodical pains. also for inflamtory colic Bell. pains relieved by pressure. spasmotic colic. cramps. Coll. excessive pains. cramps in the calves of the legs. shivering. Caff. similar to the latter remedy. Cham for bilious colic. tearing drawing pains tension and fullness upon the epigastric regions. flatus. confined to different places. great anguish colic of Children. Bells. for boborigmus

shivering increases with the pain. pale face; fulness of the abdomen pains relieved by emation. Coc. much flatus. and pain in the epigastric region, oppression of breathing nervous excitement. Nat. pains increased by arising in bed. pains in the right side abdomen, distended. Carb. veg much distension of the abdomen and borborigmus. Opium. pains as if the small intestines were cut to pieces. Lyco. when there is an unusual accumulation of flatus. Alum. head ache vertigo restlessness and the emission of flatus does not relieve the pains.

Hemorrhoids.

Causes. sedentary habits. stimulating drinks. congestion of the liver and neighboring viscera remedies best leisure

1853. Gardiner. Jan. 7th

Pancreas, and transverse portion of the duodenum, are not covered by peritoneum. The Kidneys also, are not invested in this membrane. Oesophagus.

Entire Length of the alimentary canal is 36 feet. Herbiferous animals the canal is longer than in carniverous animal.

Oesophagus only 3 coats.

Cardiac extremity of the stomach is the dilated portion.

The Pylorie is the constricted portion and is caupies the right portion of the body.

circular fibres of the stomach are more numerous than the longitudinal fibres

Large intestines divided into three portions viz. duodenum Jejunum and ileum. duodenum

about 10 inches in length. cells made up of circular and longitudinal layers, valvula conniventes.

1853 M. Simple. Jan. 8th.

Experiments with the air pump
How a fly walks on the ceiling

Sims.

Three patients on board.
1. Exostosis of the radial tub. H.
2 cancer of the mamma.
3 schirrus of the mamma.

Fracture of the tibia fibula. tibia most frequently fractured. fracture of the lower third of the fibula one of the most difficult fractures to deal with.

Gardiner.

Villi on the mucous membrane of the small intestine. Throughout

the small intestines there is two layers of muscular fibres viz. the longitudinal and circular. The small intestines are held in place by the mesintary Glands of Brunni found only in the duodenum. Glands of Peir are found only in the ileum the latter glands are affected in Typhoid fever Glands of Leiberkun are found throughout the mucous membranes of the large and small intestines. Small intestine terminate into the large intestine appendages appiploica. many numerous upon the transverse colon Sygmoid flexure

1853. Loomis, January 10th.

Version.

Small.

Sensation of touch. The tongue

1853.
Sulph
Phos
the f
water
and w
by ob
for a
Genera
burnin
In the
Typho
To Dea
after a
Stoma
appetite
of dea
prostra
Excessiv
Also a
the pe

Fin del

1853. Williamson Jan. 10th,
Sulphate of Quinine. Chemi Sulphurica
Phosphoric acid. we prepare
the first atem. with distilled
water second with alcohol
and water, the third is prepared
by alcohol alone. It is indicated
for night sweats. Chronic diarrhea
General symtoms are darting
burning pain in the abdomen.
In Herpetic affections. In
Typhoid fever with a tendency
to Diarrhea. Dyspepsia. nausea
after a meal. Acidity of the
stomach. Haemorrhoidal
affections. Nocturnal emissions
of semen. or discharges of
prostratic acid. Diabetes.
Excessive urination of infants.
Also a milky appearance of
the urine.

Left side

1853

Nitric acid. (aqua fortis)
Attenuations similar to phosphoric acid. Rheumatic and arthritic affections. more especially of the latter. In all diseases arising from abuse of mercury. Caries. Necrosis, Rickets. Arterial hemorrhages. Epilepsy. cutaneous affections. Herpes. ulcers. &c. anginos variety of Scarlatina. ulceration of the soft palate and posterior nares. Syphylitic ulcers. Bubo. Secondary Syphylis especially when it attacks the throat. Typhoid fever with Hemorrhage of the bowels. Hepatic diseases. Opthalmia. Ulceration of the cornea. Amaurosis. Caries from the small bones of the nose and ears. Hysterics with discharge of arterial blood.

1853 Helmuth. Jan. 10th.

Remedies for Hemorrhoids

Nux vom. for narrowness of the pass discharge of blood, tenesmus etc.
Sulph. constipation alternate with diarhea. most furmous very much tenesmus continuing after the evacuations.
Aconite fibril symtoms. sensation of fulness pressure in the abdomen
Bel. flooding. Rumous. if this for
Hepar may then be tried.
Rus. tox severe pain in the thighs relieved by motion Cham frequent desire to go to stool
Ars. itching and much burning particulay at night and motion
Carbo veg. for similar symtoms with congestion to the head, epistaxis discharge acrid pimos also for varicas veins. other symtoms
Ant. prolapsus of the rectum.

Capsicum when the disease of large intestines. Sabina mucous sanguineus. discharge Igna. hemorrhoids prolapsus. thus. piles much swollen Nit acid old tumors copious bleeding Nit Ama suppress of the discharge Sepia hard tumours. discharge when walking. Cal quat cup of blood & blood. pain. smell as that of heavy pistle Cost. after stool much pain Graph. painful ulcer Nit acid Ferrum Cuprum.

Worms. entizoa.

Causes are sedentary habits more food taken into the body than is necessary. most fatty are preparations food. also milk and starchine food is found to generate the numerous varieties of worms.

headache, torpor, vertigo, offensive breath, nausea bad taste in the mouth disturbed sleep grinding of the teeth at the nose etc rarely some of the symtoms also. Itching of the anus is a symtom. The most mischief arises from the tape worm.

1853 Gardiner Jan 10th.

Appendages of the alimentary canal. viz. liver kidneys spleen &c. liver. usual weight. 4 lbs. 10 in in breath. 7 in long &c. 3 in thickness. Held in place by 5 ligaments. viz suspensory. teres. two lateral and coronary. The inferior vena cava also assists in holding the liver in its place. Two surfaces. anterior and posterior. anterior convex. posterior Two borders. superior and inferior.

Fissure on the posterior face
the longitudinal, transverse,
fissure of the ductus venosus, fissure
of the gall-bladder fissure of the
vena-cava. The liver is divided
into two lobes by the longitudinal
fissure also the lobulus spigelii
lobulus caudatus is an appendage
of the right lobe, lobulus quadratus
Five lobes to the liver.
Through the transverse posterior
page all the vessels into the
liver. Capsule of Glisson pass
into the interior of the liver
with the vessels.

1853. Semple January 11th.
Electricity.

Sims.

If there be spasms in the fractured
limb. Administer Opium 12 drops

1853
Mur
is tra
arte
pate
and
with
Hah
It is
sinke
Sma
are f
depr
with
dise
Dia
and b
Scor
with
deafn
Pimp
Small

1853 Williamson Jan. 71.

Muriatic Acid. when pure it is transparent with a peculiar smell. First atten. with distilled water. second with water and alcohol. and the third with alcohol. Discovered by Hahn. it has a long action. It is used when there is great sinking of the vital powers. Small pox. when the muscles are filled with blood instead of lymph. Autumnal Dysentary with a constant bearing down with discharge of bright red blood Diarrhea. Hemorrhoids with heat and burning. Protrusion of the anus. Scorbutic affections generally with a tendency to diarrhea. deep spl ulcerations of the Larynx Pimples on the face. Freckles. Small boils. Yellow blotches on the

skin, arising from long continued constipation but Lycopus is in these symptoms preferable

Sulfuric acid. (oil of Vitriol.)
Proved by Hah. long action.
Aphtha. Nurses sore mouth.
Pyrosis. Cough with expectoration of blood. ulcerations.

Flouric Acid. Gives symptoms
Shoots. jerking pain & much
longer action more on the
left side. aneurism.
best remedy known for
baldness.

1853. Helmuth Jan. 11th.

Remedies for worms.

Acon. colic. nausea. tenesmus. and
for those worms inhabiting colon
and rectum.

Sulph. when the symptoms return
by changes of the moon

Ferrum vomiting. and much

salina. muscular spasms.
Nux. distension of the abdomen;
Cina. redness of the face picking of the nose. disturbed sleep
& humorous evening chilliness
sometimes delirium, nervous.
Rad distended abdomen pale
face blue circle around the
eyes. chronic vomiting.
China. subsultus tendinum. adynamia
aggravation of symptoms after eating
Semen for worms in the rectum
Ran. and Hyos.
Mere. tenesmus ~~stirring~~ ani.
Bell. starting in sleep. urinary
disorder. Ipecac emaciation
Silicia for scrofulous persons
Bel. Sag. Stram Hyos for convul-
sion attending the disorders.
Acon if the fever be high
Stram. for convulsion of
the abdominal muscles.

Cal. tendency for worms.
Sulph. for similar symtoms
as Cal. also Ipec Am. Puls.
Male fern for tape worms.
Pumpkin seeds has been used.
Stannum powerful remedy
for worms. Spirits of Turpentine
has been of service.

Peritonetis.

Some of the symtoms are
difficult breathing motionless
tongue white pain in the
tubes and great trochanters
more especially upon pressure.
Causes are mechanical injuries.
Metastasis of rheumatism etc.
Auscultation may be useful
sometimes in this disease
post mortem examinations
present numerous red spots
upon the peritoneum & the
cavity of the abdomen is filled

with a fetid liquid.
Acon: pain in the umbilical
region. violent fever. much
thirst inflated abdomen dry
skin. Arn. if produced by mechanical
injuries. Nux vom. abdominal
distention morbid disorders
Merc. more advanced stage
Bry. — Ars. when the symptoms
become aggravated Bel when
there the cerebral symptoms.

Disease of the respiratory organs

1853. Gardiner Jan 11 Wed.

Gall bladder.

Attached to the posterior border
of the right lobe of the liver
composed of a fibrous coat. mucous
coat. Pancreas.

About 6 inches in length. color is light pink
Attached to the stomach by the
gastro splenic omentum. Spleen. Head of
pancreas or glandular structure. Vasa brevia

1852 J. G. Loomis. January 12.

Obstetrical instruments.

Vectes. used for making traction turning, bringing down.

There must be room in the Pelvis for the head of the child to pass unaccompanied. It must be introduced during a pain.

Blunt hook.

Small.

Sense of Smell.

1853 Mc. Semple. Jan. 13

SIMS.

Hernia.

Williamson

Oxalic acid. found in animals and vegitables. stong sour taste. one of the most virulent poisons Laryngitis. and affections of the

heart. respiratory functions. and also lameness.
Kali Bichromicum. Chief action upon the larynx and trachea. also of the lungs. tenderness of the parts when the larynx is affected. Dyspepsia.
Kali bromine. Proved by Noah Leontraints. Sensation of warmth in the stomach. pains in the Kidneys light urine.
Kali Carbonicum. White when pure very soluable in water. prepared like the above remedies. viz. first by water, second with water and alcohol, thirdly by alcohol alone. can also by trit like the above remedies. Proved by Hahnemann. Bronchitis. incipient forms of P. Pul. right lung more readily. daily headach. Stitches shooting com-

Nar (t. Bry) Hemoptisis.
Painful menstruation. or when
the menses are postponed.
especially in young females. Some
times used in dropsy.
Kali chloricum. perfect
similar to the forgoing remedies
Rheumatic and Arthritic
affections. facial pains. deep
seated. on either side.
Kali Hexdryogen. Larynx.
pharynx. fauces. Lymphatic
glands. disease of the heart.
disposition to D. Rel. Scrofula.
Rheumatic affections following
syphilis. scrofulous affections
of the joints. Angina
Kali nedricum. can be prepared
like the other Kalies. Throat
and contractions of the throat.
Pneumonia. Pleurisy. Catarrhal
Asthma.

1853 Holmuth Jan. 13

Laryngitis.

Acute. Chilliness. hoarseness. dry cough. mucous or sanguineous expectoration. dyspnea. which causes great wretchedness. and agg[illegible]tation. This disease was the cause of the death of Washington.

Chronic. phthysis laryngitis. pain in the locality of the thyroid cartilage. dry cough after while. mucous or sanguineous discharge. voice changes to a whisper. fauces pale red. fits of voice may come on suddenly or gradually. Face pale, tongue pale. Edematous. May depend on an acute variety. symptoms similar to the above mentioned with additions to the feeling

as if a foreign body were in the throat. dyspnea very great and often death occurs from suffocation. Causes are numerous. Indulgence in ardent spirits. too much exertion of the vocal organs. also it arises from other diseases as Scarlatina. Rheumatism. Pneumonia etc. also from syphilis.

Aconite. febrile symptoms. Nux vom. much irritation cough Cham. tenacious mucous. Hepar Sulph. the difficulty seems to be seated in or about. coughing and speak seems to aggravate it Spongia pain contraction in the larynx. Coniine difficult respiration as if the throat were close with a plug. also suited to the chronic varieties.

Mercur. constant hoarseness and

cough increased by going out into the air.
Bpas. hoarseness. Larynx sensation as if pain. complete loss of voice
Ars. voice variable. blood streaked mucous.
Sulph. very great hoarseness. connected with other symptoms
Iodine pain in the region of the larynx extending to the fauces contraction and heat in the larynx secretion of mucous.
Cast. with intense pain in the larynx. Kre. Ipecac. Puls. Lach. etc. are some other remedies.

Croup.

Causes are coldness and moisture. It may also follow Scarletina and Rubeola.
Acon if the fever come on suddenly inability to speak and cough much thirst. Hepar Sulph. and

Sponge are suited to those
forms which are not membranous.
Hespir. more secretions and
from catarrh Sambus. or
Moscus. breathing hurried with
wheazing in the chest. Moschus.
breathing very difficult: and of
the inflamation has a disposition
to locate itself in the lungs.
Jodine has also been recomend
For the membranous. forms
is Bromine. Costa amonia and
Bicha. of Potash.

1853 Small Jan 14th

Filthy effects of useing tobacco.

Sense of Sight.

Auditory apparatus.

Williamson.

Sodas.

Nat. Carb. Found in some

of the eastern lakes. also
in some marine plants of
Spain. colorless salt. alkaline
taste. very soluable in water
Acidity of the stomach
Rheumatism, or Arthritis
Dyspepsia with acidity of the
stomach. Pertussis. Scrofula.
Meay be prepared by trituration
Nat. Mur. common salt.
Thre first attem. by trituration
Proved by Hahnaman.
Intermittant fever. Quotidian
tertian and quartian. Also
when the disease is abused by
Synchona. Chlorosis. Urticaria
vertigo. Sick headach. Ulceration
of the tongue. Nausea and vomiting
of pregnant females. Obstipation
Dysentary. Incipient stages of
Asiatic Cholera. Irregularity of
febril disease. also of the pulsations

pulse and heart. Hemoptasis.
Symptoms worse when lying down
Nat. Nitricum
Nat. Sil. Glauber salt. These first
attem made by Trit.

Magnesias.

Carb of Magnesia. Good specis
alkaline taste. 10 grains with
90 grains of sugar of milk.
Muriate of Mag. found in
many mineral water also
in sea water. First tried by Trit
but with alcohol and water is
better. Loss of animal fluids
Hysteric affections. disposition
to take cold. moderate exercise
excites the circulation. Pulsation
over the whole body. Inclination
to go to sleep in day time never
at night. Typhoid fevers. also
from the abuse of Quinine.
Morning headache. Suppressed

efforts to void urine. and inability
to retain urine when walking
Sensation to pass urine comes on
suddenly, and pass of involuntary
Menstrual difficulties
Sul. Mag. Epsom salt. Produces
serous discharges from the bowels.
Cholera infantum. Three first
prepared by trit. Long continued
action in chronic diseases
cutaneous diseases. fevers.
headaches, etc.

1853. Helmuth. Jan. 14th

Bronchitis

Acute and Chronic

Acute has also been subdivided

Nux vom for catarrhal affections
nose stoped up. and hoarseness

Puls. Bry for other corzeal sym

Ars. Stoppage and fulness of
the nose & corroding discharge

from the nose. Merc. also
Bell. Hepar sulp. the latter
remedy if one nostril be attacked
Dulc. attached by the least
cold symtoms become worse
during respose. Ipecac vomity
Car. Amon. if the obstruction
is chiefly at night. Sulph.
propuse secretion of snot. pregnancy
sneezing, Euph. eyes inflamed
Silicia. Great coryza, inflamed
eyes. Cal. Heat in the head
Carb of Am Nux vom Hepar
Nux. are some of the leading rem
Carries violent sneezing, and
creeping in the nose. Igna:
where there is hysterical affection
Aphonia. Hoarseness seat of
this derangment is in the
mucous membrane of the Larynx
and trachea. Carb veg worse in
the morning. Bell deep voice

Puls. complete loss of voice
Merc. watery discharge from the
nose. Caps. dry. Rustox for
hoarseness deep in the trachea
Rhus. for Chronic hoarseness.
Cost. Sulph. hoarseness in damp
unhealthy expired air feeling heat.
Petro. for dryness of the throat.
Mang. voice tubal.

Influenza

Acon. for febrile symptoms
soreness of the chest frequent
coughing. sensation of excoriation
Nux vom. shivering, cold upon the
body rushes of heat, and other
symtoms increase towards night
pain in the larynx, and chest.
scanty expectorating mucous
Bry. vomiting with the cough.
Euph. more chilliness than heat
cough only in the day time
much expectoration dim sight

Merc. Feeling of fulness in the head. dry fatiguing cough at night. Dros. when the Larynx is principaley affected. yellow expectoration.

Cham when the febril symtoms are mild. some parts of the body warm other parts cold. comfo during sleep. paroxysms of suffocation Ars. discharge during night nose swolen. cough troublesome dispnea. Cough encreas by lying down indicates Puls.

Carb Ama. Acrid discharg from the nose Rastor difficulty seems to ly in the bronchias. shooting in the iliac regions. Sulph. cough worse by lying down at night. Sepia Mucous saltish. yellowish. morning cough Jode. violent fluid coriza.

Rutta gran. eyes fatigued pain in

Mur. Amon. Chronic cough
Bel. for nocturnal cough
dry. pain in the chest. rough
voice. dispnea. etc.
Cap. for rheumatic pains
attending the dipsicality. Pain
in the back part of the throat.
Ipecac. for spasmatic cough.
Ipna. for continual cough
prevented by suppression and
increased by coughing. Phos.
cough produced by a tickling
in the chest. Burning in the
chest & bronchi Phos. acid.
Squil. excitement of the mucous
membrane, and is therefore
adapted to dry cough.
Stamm. for large lumps of mucous
Cham. for ordinary cough
Sulph. violent dry cough. flueddery.

1853 Gardiner Jan. 14th

Genito-urinary appar

Divided into two portions viz: excretory and secretory. Kidneys occupy the lumbar regions. Kidney of the right side lower than the left. About 4 inches in lenght. 2 in breadth and 2 in thickness weight from 4 to 6 ounces. Two portions. viz Cortical and internal Medullary. The Cortical is the true secretory portion. Corpuscles of Malpighi. Ducts of Bertini. tubuli uriniferi pelvis of the kidneys. Calices of the papinnidæ surround each pyramid. Ureters. about 18 inches in length. Two coats fibrous and mucous. Bladder. 7 true ligaments. 4 false 1 trunk. The true

ligaments, are seven in number two, anterior. two lateral two umbilical, and the urachus The false ligaments, are folds of the peritoneum, and are four in number. Two anterior and two posterior

1853. Simple January 15
Sims. Hernia.
Gardiner.

Bladder two layers of muscular fibres. viz Longitudinal. Oblique transverse. Trigon vesicle. Uvula vesicle Urethra.
Caput Gallinaginis. Ejaculatory ducts Compes glandi, fossa navicularis
Prostate gland divided into three lobes. Penis dorsal artery
Septum pectiniformes Corona
1853 Loomis. Jan. 17th
torcins
Small
Menstruation

1853 Williamson Jan 17

Ethusa-Cynapium. lesser hemlock
It is used in general debility
languor accompanied by
stupor. Epilepsy. Anguish
anxiety. pill tremors. delirium
attended with frenzy. Vertigo
with swimming in the head as
if the brain were dashed to pieces
rising of heat to the head.

Agaricus muscarius. proved Hahn
Chief action on the brain and
the sexual organs of sense,
Agnus Castus, chaste tree 366 pot
leaves and flowers, on the parts used
proved by Stapf. Itching relieved
by friction, Trembling with
internal chilliness external heat,
Suppression of menses. Sterility.
Independency of milk in lying-in
women. Sensation of dryness in the
respiratory canal.

Aloes. gum saccatina used in our medicine. It chiefly has a peculiar affinity for the colon Emaciation. congestive abdominis Hæmorrhoids. Heat in the right Hypochondriac region. Borborygmus in the transverse colon the first symptoms Asiatic Cholera. next a loose discharge from the bowels in the morning. Heat running over the body with nausea Dysentary with pain with fecal discharges are voided. Discharges of mucous from the rectum resembling membranes. Watery sanguineous discharges also. burning in the rectum. Desire to evacuate the rectum early in the morning. painless discharge Fistula in Ano. Uterine derangements Hæmaturia. Prolapsus ani, Leucorrhea Amoniacum.

1853. HELMUTH Jan. 17

Auscultation.

Gardiner.

Testicles. Scrotum divided into two portions by a line extending from the perineum to the penis, denominated the raphe. Testicle covered by the layers external formed by the cremaster. Middle tunica vaginal reflection internal tunica albugenia. The latter has two layers. Internal part of the testicle is made up of lobules. The testicle is invested by three tunics. tunica vaginalis. tunica albugenia and tunica vasculosa

1853 Mc Semple. January 18

Magnetism.

HELMUTH.

Disease of the Heart.



Williamson

Amoniacum. grows in Persia Africa. Swelling of the joints. The patient seems to be displeased with every thing he does.

Ambri Grisa. spasmodic affections cutting in the hands and feet Deficiency of animal heat. symptoms aggravated by rest & heat itching and burning prominent symp.

Flushes of heat over the body
Dulness of the head in the morning
The patient says he will loose his
senses. Carb of Amonia. obtained
from Merriat of Amonia. 1 water 2
water 2 alchohol 3 alchahol. Proved by
Hahnemann. Epistaxis. headach
after walking into the open air.
Chills are apt to come in the evening
sweat in the morning. patient
lies best on the left side.
More sigptoms on the right upper
side Aqua-amonia amonia bottom
recommended in cardalgia. Membra-
nous croup. Flexor muscles
mostly affected. pressure in
head as if it would burst. stopping
of the nose with aqueous discharge
anginia. vomiting of ingesta or
mucous. Low Latin remedies are
very useful in menstrual affliction
menses too copious and too soon

Muriate of Amonia common nam Salamoniac. smell of the house is owing to this substance pains of the head & darting pains in the temples. Stitching pain Hydrocele Hydrothorax.

Anacardium nut of a hasty rough bark the mountanous east Indies. Applicable in Hypochondriasis loss of taste and smell. especialy the farmer. Angina nut & lecture.

1853 Sims Jan. 18th

hernia

Gardiner

Visera of the thorax

Pleura.

1853 Larynx. 4 cartiages Jan 19

enter into the composition of this organ

Thyroid. Cryoid. Pretanoid. Thyro hyoid

cuneiform Epiglottis



1853 LOOMIS Jan. 19th.

Application of the forceps.

1853 SMALL.

Nourition.

Simple Jan. 20th

Compounds.

Sims

Operation for hernia

Williamson

Agustura. Tree grows near the equator in our own continent in its soil. high elavation. It parts with its medicinal properties to water alcohol. & proof-spirits. Malignant ulcers. Caries of the bones. Stupiness. Intermittents chillings in the morning & ague in the open air. Acts on the sensorium with considerable

19th.

20th

th

pore. Symtoms in the morning
Palpitatio cordis. pains cut, drawing
a chair.*
Anthra. Coccole. coal of Germany
very little is known of this remedy
Recommended in dropsy. urticaria
appear at night. disappear in the morning
Antimonium Crudum. wrong
name. Sulphuret of ant. is the
correct name. Strong heat will
decompose it Scrofula. glandular
affections. Good horse medicine
for skin diseases slow in shedding
Proved by Hahn. The child dreads
to be touched or looked at. Boils
corns. fungi. Rheumatism. Arthritis.
Great variety of cutaneous disorders.
especially when thus diseases have
been repelled. Also when the stomach
sympathises with the skin producing
nausea and vomiting. Vesicæ
Variolæ variolla and Variolid

very little thirst in disease when it is indicated. Headache relieved by going into the open air worse when riding in a carriage or when the sunshine on the patients (sick headache). Jaggery in diseases of the brain Diseases of the eyes arising from chronic diseases of the Stomach. Accumulation of salina saliva in the mouth. Stomiacc (sore mouth) Bitter eructations. Cardalgia. Constipation with discharges of black blood from the rectum. Diarhia of pregnants. Prolapsus ani during defecation. Leucorrhoea. Aphonia Asmatic dyspnea. Chilblains Sagentum. Metalicum (Liver)

1853 Helmuth Jan 20.

Bronchial catarrh.

Pain in the eyes. Coryza. thirst

The cause of the epidemic is not known. Ars. much debility thirst Nux vom. constipation Cast. Camphor. as a palliative Phos. Aconi delirious. wild staring look. Hyd of Potash cough expectoration saltish. For catarrh of Children Nux vom in dry Coryza. Euph for the adhesion of the eyelids. Dulc. dry Coryza relieved by warmth and aggravated by cold.
Chronic Bronchitis.

1853 **Gardiner.** Jan 20.

Muscles of the Larynx.
Crico-Thyroideus. Crico-Arytenoideus (posticus)
Crico-Arytenoideus (Lateralis)
Arytenoideus. Sacculus Laryngis.
Trachea.
attached to the cricoid cartilage of the Larynx. Yellow fibrous tissue make up the framework of the organ

The lymph thrown out by the mucous membrane of the trachea sometimes creates false membrane which is the case in membranous croup.

1853 **Loomis** Jan 21

Forceps. Forceps Forceps

Craniotomy.

After Craniotomy be sure that the child is dead before you extract it.

SMALL.

Williamson.

Argentum Metalicum (silver.)

Proved by Hah. Some forms of Diabetis have been cured by the use of silver.

Cassitude with heat, in open air. Pressure in the bones. Weakness in the thighs. when

setting or walking. Cutaneous itchings. dreams. Sudden giddiness. nape of the neck feels stiff. Feeling as if the head were full of smoke. In some forms of Melancholy. but Nit of Silver is more important.

Nit. of Silver. (lunar caustic) When perfectly pure it is white incompatible with alkalies. (Indelible ink is made of this article) Prepard by Trituration, or with water or alcohal. former plan is better. Derangements of the systems from mental causes. Hypochondriasis. Great debility and weakness of the lower limbs Some forms of convulsions. Epilepsy where the mental faculties are becoming weak, and a tendency to Idiocy or Insanity It is capable of discoloring the skin

Dizziness of the head. with throbbing of the whole body. - weakness and emaciation of the lower extremities Vertigo. headach early in the morning Imaginary visions seen by the patient. Jerking as the patient turns it in the left half of the brain Head feels as if too large. relieved by a tight bandage and in the open air. Feeling as if the brain was pulled. Opthalmia. dilated pupils. Sensation as if a ball were rising from the stomach to the throat. In the penal constitution he acts promptly congestions. Abortions

Artemesia Vulgaris. grows from four to six feet high. should be gathered in November. We have no good provings of the article Epilepsy of females. Of Leprosy in women from frights also

from menstrual difficulties. Also in Typhoid fever. Intermittents. Inflamitory colic of children. Dysentery Sporadic Cholera.

Arum Maculatum. (Indian turnip) Very important in some spasmatic affections. Bleeding of the gums. Heamatemesis. sensation of choking

Assifoetidy. in bileferans plants. fifth class. Second order. Spasmatic affections.

1853 Helmeth. Jan. 21.

Chronic Bronchitis.

Acon is suitible for the beginning Bell. sensation of suffocation Nux vom. tightness of the chest. with difficult breathing.

Sam. Nig. saltish expectoration Hectic fever Sponge also. Cough dry burning in the chest. Chinea expectoration sanguineous pain

in the sternum when coughing.
Cham cough worse at night
Bry. symtoms are soreness tightness
of the chest. burning in the chest
dryness of the mouth and lips
great thirst. pain in the sternum
Rhustox is another rem suitable

Pertussis

Highly contagious disease
occuring but once in a life
time. Divided in three stages
First the catarrh. sleep disturb
ed. eyes effused. sneezing. etc
About two weeks 2.
Second is termed the nervous
or convulsive stage. Paroxysms
more frequent. especialey with
night pains in the neck swell
face is swollen. sound has been
compared to the Crowing of a cock
or braying of an ass. paroxesms
may continues from 1 to 5 minuts

between the paroxysms the child appears apparently well. During violent paroxysms there are generally involuntary discharges from the rectum and bladder. This stage lasts from 2 weeks to a month. Third stage or stage of decline the cough abates paroxysms less frequent. cough resembles a common catarrh expectoration thick.

The disease lasts about two months, most frequently in spring and Autumn. Some epidemics are mild other again are bound[illegible]. The disease requires much watching. It may terminate in Hydrocephalus younger the patient the more the danger. May also terminate in Bronchial disorders. One of the most dangerous symtoms is watery

diarrhea. Aphthæ. A sudden cessation of the cough, is an unfavorable omen. No respiratory murmur is heard during the paroxysms. Seat of the disease is thought to be in the nerves. Acon. febrile excitement. Dulc. hoarseness. Bell nocturnal dry cough. inflamed mucous membrane of the throat.
For a loose cough Puls also if then be sneezing. Ipecac. cough suffocating. rigidity or spasmotic affection of the body
Nux vom when in the second stage paroxysms long. nasal hemorrage. Ars. if there be much bleeding from the mouth or nose. Cham. Hooping cough convulsive before midnight. vomiting remains. more advanced stages.

Drosera. cough suppocating from its rapidity, vomiting of mucous. cough descend by motion. also when the disease is more advanced. Cough excited by laughing.

Iris. If the patient becomes suddenly stiff. picking the nose. Itching of the anus.

Merc. much irritation of the nasal cough present only in the day. or only in the night.

Bry. nocturnal cough. or after eating. Verat. suppocating fits one of the best remedies. cold perspirations especialy appearing on the forehead. involuntary discharge of urine

Iodine excited by tickling of the chest. emaciation.

Cuprum Aceticum convulsions and loss of senses. dose 1/2 in grs. after a paroxysm.

Belle if there convulsion she not fully developed. Inflamity of the nose. paroxysms of coughing end in sneezing. face glowing no appetite. Sulphi Zinc ant great debility. Sepia employed with psora. Last stage of this disease if change of air be sent great relief may be manifest.

Pneumonia will be next.

1853. Gardiner. Jan. 21.

The Heart.

The pericardium is a fibro-serous membrane, attached to the cordo-form tendon of the diaphragm. All serous membrane are reflected membranes.

8 oz. is the normal weight of the heart. Aneurism of the Heart when there is an increase in the cavity of the Heart without

an increase in the extend part
Then may be also increase
in size of the internal parts
without the increase of the
extend part. this is term
Hypertaphy. They may both
take place simultaneously.

1853. ~~SEMPLE~~ January 22 d

Sims.

Trust.

1853 Loomis. Jan 24

Cæsarian Section

This operation is said to be the
most interest of any in surgery
Hemmorage is one of the greatest
dangers. 3 mother in 7, die. also
3 children in 7, are also saved.
Uterus dilated - membranes ruptured
and the escape of waters is the time

SAMPLE
COPY

to perform this operation. The patient should lie on her back on a narrow table. Make the incision from just below the umbilicus to the symphysis pubis. about 4 inches in length Form vessels bleed less than those cut by an instrument

1853 SMALL. Jan. 24

Respiration

Williamson

continued

Assafetida. Palpitation of the heart. after exercise. pains intermittent, various kinds. relieved by touching ulcers. ichorous. fetid discharge Feeble pulse. unequal beats. confusion of the head. congestions. forehead most affected just above the eyes

Some gastric affections. fullness or pressure of the stomach flatus. Asmatic affections especially of scrapulous patients.

Asarum Europeum. Perennial plant. It is said that this plant has the power of stopping the procreating power of man, and prostitutes often use it to produce abortion. Asmatic affections. Urinary difficulties.

Asparagus. Increases the quantity of urine. Action on the urinary organs. Heart and stomach. Remedies which affect the urinary organs also affect the heart.

Athamantum weakness ex. hoarseness

Eryum Stellatum gastric affection with large white tongue. specific action under the right scapula.

Aurum. Proved by Stahl.
It has a long continued action.
Melancholy. Attempts to commit
suicide. Ozena. Obscuration of
the sight. Hernia. induration
of the testes. Moral diseases.
Disease of the frontal sinuses
pain in the orbital regions.
decease of the facial bones
suppuration in the antrum
hemorrhoidum. Prolapsus uteri
Leucorrhea. urinary disorders
also of the heart. Cancerous affec-
tions.
Oxide of Aurum. spasmodic
affections. Salivations with
green vomiting.
Aurum Muriaticum
Secondary affects of syphylis.
Proved by Stahl. Inflamations
of the internal organs, diseases
of the skin. Cancer and the

Benzoic acid. 10 drops 1 order
Itching over the body. Confusion
of the head. pulsations of the
heart with a hard bounding
pulse. Irritability of the bladder
enlargement of the prostrate gland
particularly of the middle lobe
frequent micturition. urine with
strong smell, dark colour
heat and scalding pain in the
loin regions.

1853 Helmuth Jan. 24

Pneumonia.

Catarrhal symtoms etc etc
Chan Ars. Chin Ipec Acet.
Bell. Bera. Tart anti. In
old persons. Tinc of Camphor.
Carb Bar.

Inflamation of the Lungs
or Pneumonia
when the air cells are the seat of the

disorder it is termed: cellular or when
the lobes it is termed, Tabular etc
Right is more frequently attack
than the left.
Symtoms. Cough fever. dyspnea
heat of the surface of the body.
Great chilness at the beginn
of the disease and then heat
appears. Cough dry at the begin
ing of the disease. expectorat
at first. sticky semi transparent
afterwards blood streaked.
If the disease becomes severe
the expectoration is less and
may be entirely suppressed.
Pains in the chest may be of all
kinds. The patient generaly lies
on his back. fever constant
with abatement in the morning.
face red. dulness of the head.
Pulse in the acute stage is
hard and bounding pulse

however varies, and death may occur without its varying from that of the healthy pulse. Tongue at first is white with a yellow streak in the middle. In middle aged persons the disease may assume a typhoid character. According to some authors it is divided into Three stages. First stage, there is difficult breathing. Percussion is the same as that of health. But as the disease advances complete dullness will be manifest. Resolution may take place if only a part of a lung is affected. The stage of the disease may be frequently ascertained by auscultation.

1853 Gardiner Jan 24

Tuberculum Loweriii.

The auricles are divided into two portions. viz. Sinus. and auricul. Endocardium is the serous membrane of the heart. Mesocular pectinata. Veins of Thebesia. Fossa ovalis is found in the auricular septum. Annulus is a thickening of the muscular fibres surrounding the fossa ovalis Eustachia valve is formed by a reflection of Endocardium of the right auricle. The Tricuspid valve is also formed by the same Chordæ tendineæ. Columnæ Carneæ. Three varieties of the latter. The pulmonary artery passes off from the superior anterior part of the left ventricle corpuscles of Arantius.

sinus of Valsal. Right pulmonary artery the larger. 4 pulmonary veins. Mitral valve is also formed by the Endocardium.

1853 Semple Jan 25

metals

Sims amputations

Williamson.

Benzoic acid continued.

Pains in the large joints of the great toes. Inflamed fauces and tonsils. Arthritic affections.

Nephritic colic.

Berberis. 1 drop. 6 in a drachm. Small branches of the roots used for medical purposes.

Pains aggravated by motion left side. aggravated in the afternoon.

Bismuth Subnitricum. Poisoned by Habnemann. Lymphatic

temperaments. Delirium tremens
In some forms of Dyspepsia
Neuralgia. diseases of the stomach
in females. excessive drowsiness
after meals. Pains in the
head are of a dull character
Stomatitis. It acts powerfully
on the stomach.
Borax. Biborate of Soda.
Aletris. prized by Women
Facilitates the parturition
Sterility. Coughs. persons
predisposed to phthysis pulm.
Bovista. Headaches of
a stupefying character sensa-
tion as of the heart in
Large Apprehensions of the
heart.
Bacchia orchim.
Cow parsnip this is used
for pleuro pneumonia or Relating
of the brain.

Colchicum. Gtts in Paramorbo very poisonous prepared impotence sterility &c.

1853 Hedmuth Jan 25

Pneumonia

Acon. Bry. (Nux vom or Ichaem) for children rather than Bry. (Dulc Jeq Ipecac and Tarent) also Rhus. Tart. Ant. Nux vom Bell fever high. pulse quick Merc. aura. Pinchina Crocus Scilla Rhus acid Rustox Hyos. Stramon for Typhoid pneumonia Opium should be given. Ars fever small expectoration slightly streaked with blood. Ars. Dalph is recommended in 2d second stage. Nursing subjects

Pleuritis.

1853 Gardiner Jan 25

Aorta passes off from the superior portion of the left ventricle. 3 divisions in the aorta above the valves then sinus of Mal—— capacities of the auricle are larger than the ventricle. The right heart larger than the left

1853 Loomis Jan 26

Mgl-presentations

Small on the blood

1853 Gardiner. Jan 26

The eye and its appendages

1853. Semple Jan. 27

Helmuth

Treatment of Pleurisies

Acon. Squill. Bryncho. carveg

Nux vom. Ars.

Asthma.

Acs. Bell. Cham. Nux. vom
Puls. Sulph. (left side Ambra)
Phos. Bry. Carneg. Lobelia
Can. Dig. Tob. (smoke a cigar)
Aurum. Samb. Sulf. Verat. Coc.

Williamson.

Cal. Cast. prepare a tincture
Symtoms predominate on the
left side. Diseases of the mucous
membranes.

Cal. Phos. This remedy is appli-
cable in Rickets. Anemia
First thin attem. made by trit.
Acts on the smaller articulations
Symtoms worse by motion,
Partial paralysis of one arm,
Camphora officinalis. every
part of the tree. Spasmotic affec-
tions. (After pains.) prepared
with strong alcohol. Paired by
Hahnemann. Pains excited
by motion, Pains increased by

thinking of them. Vertigo headache. Diseases of eyes, of the Stomach and bowels. Asiatic Cholera.

Canabis Sativa. Common hemp annual plant. Neuralgia Rheumatism Catalepsy. gathe the flower tops of the female plant when the pollen is in bloom. Prov. by Hahnemann Diseases of the eyes heart lungs and urinary organs. Sharp pains. Gonorrhoea. Green discharge. Leucorrhea. Menorrhagia. Neuralgia. Affection of the bowels. Tenesmus

Jan. 27 **Gardiner** 1853.

Globe of the eye.

1853 **Loomis** Jan 28

Pleural Births.

Small

blood circulation of

1853 Williamson Jan 28

Cannabis Indiana (Indian hemp)

Cantharides Obtained from the animal kingdom viz (Spanish Fly) Crush the large female fly, dry and make a tincture or trit. Menstrual difficulties. Suppressed menstruation with frequent desire to pass water. Rawness internally and soreness externally. For many forms of Erisipelas threatning gangrene. Pains on the right side predominate. Pain an increased by drinking coffee Camphor is the best antidote to this remedy.

Capsicum Anuum. (common peper) (No 6) Prepare a tincture. And dilute Camphor to Colado. It is used in Intermittants. Hysterical headaches. Affections of the bladder. Asthma. Gonorrhoea

Croton Cascarilla. Very
little known of this article
Eastrailea beaver. production
of the beaver. The odour is sui generis
Costicum. 2 tastes astringent
Proved by Hahn. Long action
Weakness. Cracking in the joints
Bronchitis. morning and evening
hoarseness.
Oham. vulgaris. gathered during
the period of flowering tincture
prepared by maceration
attenuations made by alcohol
In nervous persons very sensitive
to pains. Relieves the symptoms
produced by coffee. Colics
of infants. After pains with
soreness and sensitiveness. Pain
through the region of uterus
Crying of young infants
Chelidonium ma. pol. glaucium.
Externally for Haemorrhoids

Kingag Podium (Louse of) The plant is used for continual cold feet.

Cicuta vera 5 class 2 order perinial plant. Acrid narcatic Fresh root made by alcohal Acts on the nervous system and on the sensorium

1853 Holmuth. January 28

Phthysis Pulmonalis.

Bry. Sulp. Bell. (Carb of lime) Puls. Nux vom. (Acon. preventive Bry. Merc. Ars. also Dulc. Phos. (Nit Potash to ale stages) Bell to scrafulous diathesis Lyc cops. 30th purulent expectoration nocturnal cough but loose in the day. Night sweats, Acetate of Copper. Sepia Silica Sepia. Stannum Propuse perspiration Sambucus. Hepar Sulph. China. Nit Acid



1853 Gardiner Jan 28
Vitreous humour. Hyaloid
membrance envelopes the
vitreous humour.
Crystaline lense

1853 Semple Jan 29
Potassium
Sims, ampitations

Gardiner.

The appendiges of the eye.
Lacrymal gland divided into
two portions. viz the palpebral
and orbital. color is light
pink. on the op of tubules;
Secreats the tears.

1853 Loomis. Jan 31.
Complicated Labour.
Prolapsus of the chord. if
this take place the chord
should be kept warm.

in order to keep up the circulation between the mother and Child. but if there be no pulsations in the chord, there is evidence that the child is dead, and then is no necessity of keeping the chord warm.

Retention of the Placenta

Never remove the placenta until contractions of the uterus take place, or there will be danger of Uterine hemorrage. Inertia, morbid contractions and adhesions, are three causes for retention of the placenta. Arn. Bell. Puls. Nux are some of the remedies for this disorder. Three abnormal contractions generally take place which are the causes

of retention of the placenta
1 violent contraction of the
as uteri 2. Contractions of the
circular fibres of the middle
of the uterus giving the uterus
the appearance of a hour glass
but this latter seldom occurs
3 contractions of all the
circular fibres of the uterus
which lengthen the uterus
very much & give it
a colindrical form.

1853 Small Jan 31.
Nutrition
Williamson

Cimex (common bed bug.)
Found by Dr Whaley
Intermittant fevers about
the declining stages.
Actions on the central

organs of the abdomen in some affections of the chest symptoms on the right side.

Cina. mug wort. Cina varieties. It is used in old school practice as a vermifuge Proved by Hah. Diseases of Children. sympathetic affections of the brain It is recommended when the child has symptoms similar to those of worms, Cough attended with pain in the abdomen, Pertussis when a rattling in the throat after coughing. Nocturnal fever in Children. Dilatation of the pupils. Nocturnal urination of Children.

Cinocenum Salphuricum

has much known of this article.

Cinnamon. the bark of the tree is used for medicenal purposes.

Cistus Canadensis. sometimes called frost wort or frost weed. Bitter aromatic astringic taste Glandular affections. Scorbutic affections. cold feet etc.

Lemon juice. Scorbutic affections Patients under Homeopathic treatment should not be allowed to drink lemonade.

Clematus Erecta. expres the juice of the leaves and stems Torpid Cathectic person scrofulous. opthalmia with phataphobia. Disease of the urinary organs arising from abused sypheles. Desire to be in the open air. orchites

Cochineal. (small insect) expres the juice while the

insect is alive. attenuated with
alcohol. dental affections.
Cocculus indicus (this has
been used in making fish drunk
and them catching them
It has no odour. Produces
vertigo. Applicable in syncope
of hysterical females. Abdomen
typhoid. Various forms of colic
Inguinal hernias. Feeling
of hollowness or vacancy in
the part affected especially
if a the derangment is seated
in the large cavities this one
of the characteristic symtoms
Cochlaria Hgnas. (horseraddish)
Root is used in our system
Gonorhoea. It may be specific
in this disease. Evening Noiseness.
Colchicum. (meadow saffron)
Rheumatic or Arthritic affection
autumnal dysentery. airway affection
Lack urine.

1853 Gardiner Jan 31

Anatomy of the Ear

The ear is divided into three portions viz External, Middle and Internal.
The ear has three ligaments
Anterior. Superior and posterior
Also three muscles.
Posterior auricular. Superior and Anterior Auricular
External meatus is about an inch in length
Three bones of the adult ear
Malleus. Incus and Stapes
Five openings in the cavity also five opening in the vestibule. The Labyrinth is divided into three portions
The vestibule semicircular ring and cochlea. The nerve divided into two portions one portions entering the cochlea the other in the vestibule and semicircular canals.

1853 Semple February 1 st

Calcium.

The test for the acids of lime, are the oxides.

Epsom salts made of soap stone

Magnesia. Manganese

Iron

Sims.

Calculus. in the bladder.

This operation should not be performed after the patient has taken exercise

Williamson

Cucomus Colliculthus. (wild cucumber)

Conium Maculatum common hemlock

Convolvulus arbensus (bindweed)

Capsella bolsuna

Calcareum rubrum (red coral)

Crotus Sativus (saffron

Nervous appertains (Globus hysterical) Feeling as if there is something

living in the abdomen
black hemorrages from the vagina
violent hemorrage after abortion
and sometimes after delivery
Crotalus (rattle snake poison)
Compare with Lach more
than any other remedy.
Sensation of a ball rolling
in the bladder is a symtom
peculiar to this remedy
acts more promply on the
right side
Croton Tiglium. (Croton oil)
We use the seeds for medicinal
purposes. Affection of the
throat. (that of Singers)
also the sore throat of
Scarlatina (Colera infantum
with watery faeces. Pains
relieved by sleep.
Cicuta nothing to say
of my own experience

1853. Helmuth February 1st

Hypertrophy of the Heart

Remedies: Spigelia Asparagus

Arsenicum angustura

Atrophy of the Heart

Remedies are those already mentioned

Angina Pectoris.

Rus. tox. weakness of the chest

Lancelations of the left Chest

Verat. Cramps appearing periodically

along the region of the sternum

stretching of the left shoulder joint

Angustura: cutting along

the sternum

Bell. pressure in the chest

tension. tearing pressure in

the shoulder

Sambucus Asafoetida

Diseases of the Glandiform Ganglions

Splenitis

This disease may be acute or

Chronic. This disease may occure epidimicaly.
Acon in the acute form's
Cyncona headness and smelling with vomiting and diarhea
dosin for wine. lips dry.
disease caused by Miasm
Ars. Pain burning. Hemorrhagic ulcerations of the feet
Arn. Bay. Nux v Cham.
as if a stone was in place of the spleen.
Chronic forms Ferrum may be the best remedy
also Sulph Carbo veg..

1853 Gardiner Feb. 1

Nervous System

Nerves of the cerebro spinal axis
Calvarium top of the skull
Dura mater is a fibro-serous membrane. Glands of -

Tuscioni. Falx cerebri
Tentorium Falx cerebelli

1853 LOOMIS Feb. 2d.

FLOODING

Acon. Ain. Nux. Cham. Thus
Sepia Sec. Puls.

Small

Secretion.

Gardiner

Middle meningial artery.
Arachnoid, is a serous membrane
Anterior subarachnoid space.

1853 Semple February 3d

Iron. Zinc. Cobalt.
Nickell Tinnus Lectus

Sims.

Crushing Flagstone

Dislocations

Fracture of the lower part
clavicle sternum and ribs

LOOMIS

VARSITY

1853 Williamson Feb 3d
Eubebs. Heart burns, gastric
affections. Diarhea & Gonnorhea
with detting of the passes narrad
this is a true indication for this
remedy
Dafna indicas. 8 class 1 order.
(common name sweet scented bush)
Rheumatism. Fulness of the head
drowsiness with inability to
sleep. weakness of sight
nocturnal micturition, Symptoms
on the left side
Dafna mazeria bark used in
Medicine gathering only in the
Spring. Prized by Homoeo
Glandular swellings.
Mercurial Rheumatism worth
(nocturnal pain in the bones.
It is a bone medicine) Scrofula
Tinea capitis (Children of
scrofulous parents or more

particularly if the mother be scrofulous are generally large fat and have a small production of hair)

Diadema Aranea (Spider) Found in old stables Intermittents Coldness predominates when this remedy is indicated and the paroxysms return at the same hour or time the next day. Hemorrhages Favors the coagubility of the blood hence it has been used in external hemorrages from wounds.

Dictamnus This is used in nervous affections Seminal uterine hemmorages. Increases secretion of urine

Digatalis. (fox glove) Leaves and seeds used for medicinal purposes. Dropsical affections

Hemorrages. urinary and
heart diseases. Suited to
persons of a scrofulous death's
door appearance. light colored
stools. nausea. faintness.
full slow pulse. clean tongue.
Tonsils. uvula does not close
in early life or is imperfectly
closed. Dig. Lach. and Spig.
are their remedies used in
this disorder. Dropsy. Hydro-
cephalus. Opthalmia. Ca[illegible],
Chronic affections of the liver.
Drosera rotundafolia. Sclaf. Lach.
Whole plant is used for Medicinal
purposes. Antidote is camphor.
It is thought to be the specific
in pertussis when there are
spasmotic paroxysms of cough.
Hoarse cough which precedes
Rubeola. nasal hemmorrhage
nocturnal exacerbations

1853 Loomis. Feb 4

Hemmorrhage after delivery.

Small

Biliary Secretion

Williamson

Dimorica elitica (wild cucumb)

Colica flatulenta. Biliosa

Dysentaria. Autumnal diseases

Dyspepsia. Neuralgia. Urticaria

Obstinate cases of Intermittents

after the abuse of bark and

Quinine.

Eugenia Jambos. (Malabar plumb tree)

symtoms agree with opium

copious nocturnal micturition

Exhibitorum Perfoliatum

Found by Williamson -

Diseases arising from miasm

In Intermittent commonly

termed (dumbague)

Euphorbia officinales

Nation of Africa. Prepared by trituration; Proved by Hahn
Cutaneous diseases. Opthalm
Nervous affections
Euphrasia officinalis.
Common name is Eye bright
Affections for the eyes
Compare with Am. Bulb. Spig
Camphor is the antidote
Rheumatism. Opthalmia
when the lids are more the
seat of the disorder. Cramps
Rovinemus. (spindle tree)
This remedy is very seldom
used. Pains drowsiness
worse after dinner or in
the afternoon.
Ferrum Metalicum; Found
in the three Kingdoms of Nature
found all over the world
Putrid eructations taste
of rotten eggs. Exhaustion

for lapse of fluids. self-pollutions. Hemoptesis. Female complaints. Chlorosis.
Scapical affections. Rickets worm diseases. Itching of the anus. Starting in the sleep of children this remedy is highly remedy. Asoarides. Intermittent Congorgements of the liver and Splean Evacuations of indigestable food. Irregularities the menses, Prolapsus ani and uteri,

1853 Helmuth. Feb 4

Diseases of the glands

Mumps.

Sol Mare is the specific Bell if the disease manifest an erespelous character Rustox should typhoid symtoms set in, Rhime swellings of the gland Calicoale glands

very sensible in the diagnosis
Conium Bell Fenum etc.
Hepar Sulph after this
pain has disappeared.
Nux Puls Nux for swelling
of the testicle.

Mercurial Traction
Hepar Iodine Con sub
Nit acid Sulph Dulc.
Diseases of the biliary apparatus

1853 Gardner Feb 4

Softening of the brain.

1853 M. Semple Feb 5th

Copper lead

D

L Sims M.D.

Fracture of the Humerus Ulna & Radius
Carpal and Metacarpal
Fracture also of the phalanges
The next lecture will
be Fracture of the lower extremities

1853

1853 O. G. Loomis. February 7th
Puerperal Convulsions.

1853 Sims Feb. 8th
Dislocations of the lower extremities
and diseases of the osseous structure

Williamson

Hydrocyanic acid (Prussic acid)
Pertussis. Spasmodic affections
Aneurism of the Aorta.
Very liable to be decomposed
Asiatic Cholera. Angustura Nectrix
Indigo. erect branchy bush
Made by trituration in
all cases
Polypus. Kind of cancer.
Colics, and other gastric disorders
Colic of infants
This vaccula root used
for medicinal purposes.
Headache. Flatulency. Colics



gastric derangements.

Stropa ——— Asiatic Cholera. Cholera morbus accompanied with violent retching and vomiting worm affections of Children.

Kalmea Latifolia, evergreen flowers are rose red. flowers in May and is very poisonous to sheep: Excesses great control over the pulse it retards the pulse Protracted fever which run into the typhoid character acts on the sensorium head Tympanites.

Kreasote (It is this article that we smell in smoked ham) Neuralgia. Odontalgia when the teeth are very much decayed. Coughs. Chronic Diarrhoea. Epistaxis Scorbutic affections

Laetuca Virosa (poison lettuce)

Lambeum Album (dead metal)
I know nothing of this article
Laura. Serrasis. (cherry laurel)
grow in Persia France etc.
Static in France but is near
by naturalized. Pectoral de-
rangements etc. Synasis.
Bronchitis, Spasmotic Croup.
Pneumonia. Sedum next lecture.

1853 Gardiner Feb 8th

1853 Loomis Feb. 9th

Small

Jurisprudence

Gardiner

Nervous System

There are thirteen pairs of
spinal nerves. The great Isci-
atic nerve is formed by the
sacral plexus of nerves.

Mc Semple Feb. 10. 1853

Bismuth. Cerium. Columbium
very little known of the three
latter metals.

Sims

Oste. Sacca. Exostosis. Spinamator



Williamson

Sedum pelusta 10 c/or.
(March tree) Leaves and
flowers used for Medicine
Prized by Hahn
Rheumatism of the
larger joints and
ligaments with heat
swelling and redness, more
from change of weather
Also Arthritic subject
Lobelia Cardinalis Symptoms
relating to the stomach
and bowels

Lobelia inflata. Spasmodic
Asthma. Catarrhal affections
Pertussis. Croup. The patient
wishes to eat immediately
after vomiting.
Lupulus. (Hops) Pollen of the
plant is used for medicinal
purposes. (grows from left to right)
Vertigo. Stupor. Slow pulse
Foaming and stitches on the
body. Copper is a antidote
Manganese. Proves dry
Wakefulness. Urinary affections
Menyanthes. (Buck bean)
Plant native of Europe
Flower appear in May.
all parts of the plant.
Nephetis (Skunk or polecat)
(Insolation)
P.S.S. Holmuth Feb 10.
Inflamation of the Bladder
Diseases of the nervous system

1853 Loomis Feb 11th

Inversion of the uterus. The symtoms resemble those of extreme prostration. It may occur for ten fifteen or twienty days after delivery. And it is sometimes unabled to be returned. It may be opperated upon or left to slough away.

Puerperal fever.

Small

Toxicology

Williamson

Mercurialis perenis.

poisonous plant. very common. Produces vomiting purging. The victim then goes to sleep and never awakes. Coriza. warm breath. And other affections

Millipolium (one of the minor articles of the Materia Medica. It is used for Uterine Hemmorhage and other disorders of the uterus.

Moscus. Found by Hahnemann animal product. It is used in nervous diseases of females

Nickle. carbona

Nux Moschata. (Nut meg) use the heavy large fresh ones. Hysterical affections Neuralgia affections of the head. in Dyspepsia. disorders from cold. great variety of Asthmatic affections

Oleander. long continued action. Chief action is on the nervous centres. headaches

Oil Cod liver. It is obtained from

several kinds of cod fish
Two kinds of oil. one is expos
to the action of the Sun
has a gold yellow color
The other termed the train
oil the livers are thrown
into a hogshead and the oil
oozes out during the proces
of putrefaction. It contains
Iodine Bromin and Chlorin
also phosphoreses and other
properties in a minute forms.
It is used for pectoral dis-
orders. It contains (as thinks
the professor) as much medicinal
properties as bread and butter
Oniscus asellus. armed prod
Picina common picinia
Paris quadrafolia antidan
to Aconite
Petroleum (rock oil) —
Long actions also in some

acute diseases. Sick headach with flickering before the eyes, as from heat this is a characteristic symtom Very useful in sea sickness Gastric affections Urticaria Chronic Cutaneous diseases Herpes or tetters or salt rheum Vertigo arising from disorder stomach also a Perosis it has an influence on the mucous membranes blenorhea nocturnal coughs. gonty affections chilblains (taes more especially.

Petroselenum (parsley) The seeds are use for medicinal purposes. The acts affect the urinary organs of infants It belongs 2 or 10 class Gonorhea, and other genital difficulties Urethra disorders of

Pellendrum aquaticum
It belongs to the 10 class 2 order
Petelacea (poke) the
juice of the seeds has been
used for curing Rheumatism
Neuralgic affections. Scaly
eruptions. headaches especialy
of the neuralgia kandy
pains predominate on the
right side except of the
head. Secondary Syppyl's
It has been used for Cancer
ulcerations
Platina will be considerd next.

1853 Loomis. February 14
Phlegmatia dolens.
More dangerous if the
swelling begin from
above downwards. It
occurs weeks or days after
confinement. The left

leg is more frequently attacked
If the disease be a mild one
the prognosis is very favorable
Acon. Ars Bele Rust Lach Salps
Carbo veg. Cal the latter rem.
will answer when there be
Menorhagea.
Effemoral fever, This comes on
before puerperal fever sets in
Acon Nux vom Bele are the best
remedies. The later puerperal
mania appears after delivery
the less the danger.

1853 Williamson Feb. 14.
Platina This is sylver white
color in the form of small
grains alloyed with other metals
Its color is rather deeper than
sylver. It combines with more
difficulty with oxygen than
any other metal. It is not

used in old school. Gold
is found on the eastern side
of hills or mountains Platina
on the western Gold has
morning exacerbations Platina
evening exacerbations.
Females with vascular and
nervous excitability.
Melancholy. Hysteria.
Copious discharge of clear watery
urine Diseases of the ovaries
Sensations at times of fullness
at other times the reverse
(Suppression of the menses
of Emigrants.) When it is pure
undecated it should be given
in 30th attenuation. Sexual
excitability of the female.
Paladium is next to an
uncle to Platina. Too long
and too profuse menstruation
prolapsus uteri. Puerperal fever

aggravated in the evening in a warm room and during rest

Plumbum Metalicum (Lead)

Dissolve the article in Nitric acid and introduce a rod of zinc and you have the pure article.

Chlorosis. Hypochondriasis. Spasmodic vomiting. Illness. Obstipation attended with colic and drawing in of the abdominal muscles. Podophyllum peltatum is another remedy that has the latter symptom. Urinary diseases where there is a mucous deposit. Tenesmus Dysentary with straining and bloody discharge from the rectum without any fecal discharges. Haemoptisis some of these remarks will answer for Acetate of Lead.

Partial Paralysis.
Ranunculus Bulbosus (bulbus rooted crowfoot) (butter cup)
Neuralgia. Cutaneous disease
Ranunculus. Sceleratus. (Marsh crowfoot)
Rattanna root is generally used This is the article that makes port wine. It deserves particular attention in some Diarrhoeas.
Rheum Palmatum (Rhubarb)
Native of Asia Two varieties flowers white.
Best variety from China
Nocturnal diarrhoea of Children
Sour smell green stools
fermented stools may be
any colors Diarrhoea of
Lying women.
Rhododendron will
be the article for
consideration next Lecture.

1853 Semple Feb. 15.
Sylver ag. Cloride of Sodium
is the test for this metal.
Gold. Au symbol
Arseniaum (cobalt)

Sims

Diseases of the joints
Con. Dig. Sulph. Rum. bulb
are remedies for Dropsy
of the joints or when there
is more synovial fluid
secreted than is necessary
rest is required in this
disease but too much
rest is very injurious

Williamson

Rhododendron ever green
10 class 1 order. leaves used
small shrub. yellow flower
attenuations made by alc
Rheumatic affections

1853 Loomis Feb. 16

Diseases Menstruation

Bry Chic Cos Ferrum,
Rali Car. are remedies for
Chlorosis Ferrum is the
most important Leyd
Nat Mur. Puls Sepia
Sulph.

Amenorrhea or suppressed
menstruation Acon Can
Bry Puls Sepia Sulph
Graph. Leyco Plat.
Rali Carb.

Dysmenorrhea is a
term used for painful
Menstruation. Various
causes for this disorder.
Usually the discharge
is very scanty but there
are cases on record where
the discharge was very
copious Acon Bel Bry

col. Coc Graph. Cappa
Nux mus. Nat mur.
Canth. Burnil. an Thuj remedy
when there be scanty
discharge of urine and
frequent desire to void
urine, Bel: is also indicated
Caps. Ign. Bell. Bth has
Sepia. verat. Platina
Menorrhagia, or profuse
Menstruation Various
causes produce this disease
It may arise from organic
disease. Calc. this remedy
should not be often repeated
Bell discharge bright red
color bearing down Chuna
great Prostration quick
small pulse edematous condition
of the feet Nat mur for similar
symtoms. Ippecac. Lycopus
Rubi. Lach. Sulph. Thuj

Exacerbations during rest and bad weather.
Chronic indurations Hydrocele Epididimus of the testes receive most actions of this remedy.
Sabadilla seeds of the article used Chronic sore throat with elongation of the uvula.
Sabina We gather the tops of the younger plants Unduim prepared by Maceration Menstrual calic various other Uterine diseases. Menses too soon and too copious. Dis membrum Leucorrhea, especially that form which follows Menstruation
Sambucus nigra (Elder)
5 daps 3 order vinegar bark

of the younger branches
Prosopis Cahoun may
used in catarhal affection
in croup & spasmodic variety
Guaiacum Canadensis
Blood root
Cina made of the root
Used in neuralgic pains
on opposite sides of the body
in catarhal affection
in disease of the nose
Polypus &c
Sarsaparilla
is used in urinary difficulties
and disease of the kidneys
then pain is after passing urine
if it be a child his is apt to cross
his legs and moan when
walking about it is also
used in headache and
in gouty affections

Hahnemann used to give this remedy in drop doses of the pure tincture

Secale Cor nubum or Ergot. or spurred rye. Specific action on the gravid uterus

Selenium this is used in intermittants

Senega. (snake root)

Spongia (burnt sponge) the tinct. Latter remedies resemble each other

Stann by Hahn

Glandular affections hoarse cough croup

Aggravation by cold dry night dog days

Bronchitis Heat in the trachea cracked

goitre Asthmatic affections

Squilla (sea onions)
root of this is used. Bulbous
parts of the roots.
Acts on the respiratory
organs also on the bowels
Proved by Mr Hahn
Pneumonia Pleurisy
Cough dry and rattling
intercostal Neuralgia
Great desire to pass urine
nocturnal micturition
Stannum (tin)
Epilepsy. Pectoral disease
with exhausting night
sweats. Neuralgia pain
Laryngeal Phthysis.
Cough with copious expec-
toration Saltish taste
Similar to phosporus.
Asthma of persons predisposed
to consumption
Strontium (a metal)

Tobaccum

"If I had the government of young females I would not leave them come within a ten foot pole of young men that chew tobacco"

Dr Williamson

Tartar emetic. Pneumonia
Terebinthia (turpentine) sore throats, affections of the urinary organs.
Tea sinensis (tea)
Scrofularia
Taxicum. pallipus nasi
Tennacetum vulgar
Thandian headache
Thuya occidentalis this is the arbor vite. evergreen cultivated in gardens select the young branches for medicine Dysphasis diseases of the urinary organs. bladder urethra

1853 Williamson Feb 18th
Tongo. kind of bean.
transparent tincture
Uvea Ursa. kind of
evergreen. Prized by Ind
leaves used in Med.
Action on the urinary
organs, diminished disease
Vilirium, appiciniabis
used as a pain killer
headache of Hysterical
females with cold drip on
the top of the head. the
head is light, attended
with a discharge of trans-
parent mucus.
Verbascum (mullein)
Prondhy. Athenaeum
Symptoms of the larynx and
trachea, after decreasing
the voice has much
copious expectoration

Vinca minor (evergreen)
Diseases of the scalp.
Zinc has a long action
Diseases of the Heart
& Kidneys and primary
organs. Sore throats of
ministers there are other
remedies which are indicated
in this disease Lapsicum
Sarsaparilla. Hepar etc.
Zincum oxidum
Zincum Sulphuricum
Zincubar officinalis (ginger)
this is the article used
in condiments.
Viola many varieties
used in tinea capitis
Psoralea. In pertussis
Triasteum perfoliatum
vomiting and purging
Leaves used.
Absynthium (worm wood)

Anagensis sarvensis is the specific in Hydrophobia it has long been kept a secret.

Vinegar Acetate

Anesum stellatum

Athemus (dog chamomile)

Anterenium

Apes stings of the honey bee headaches gastric derangement any important female medicine

Antigonica

Aralia nudicaulis

Common burdock

Choking sensation

Armaritia (horse Radish)

Arthitica

Arum maculatum

Arum tribillum Indian turnip

Asclepia tuberosa

Baptisia wild indigo

glonoin headaches least shake of the and produces pain

1853 Semple Feb. 19.

Organic Chemistry

Sims

Tooth pulling

Williamson

Galvanic battery. Vaccination &c

Helmuth



Compresses for the head

Beakley

Common tactics for compresses
Bandages, of various kinds
Pads

Humphrey

Life

Williamson

Acting medicine
depends on two forces
one residing in the medicine
and the other in the organism
mechanically chemically dynamically - weight, form, motion.
Secondary action in the
organism. None in our
system not mechanically
Great many in Old School
Chemical action, substance
having an affinity for any
substance in the organism
enters and forms part of the
organism. First chemical

Second vital. Excavatives
symtoms produce symtoms
similar to those of their
chemical action. Differe
of inflamation and irritation will
be pointed out. Nit. ac. decomposes
sugar or sac. lact. at the sixth
potency
Nit of sylver taken for a long time
in large doses will lodge under
the skin rete mucosum giving
the person a peculiar dark
purplish appearance.
Vital Chemistry.
Dynamic action sometimes
termed vital former term pre-
supposable drugs capable of changing
the vital organs without obvi-
ous mechanical or chemical
action on the organism perceptibly
Chloroform Hydrocyanic acid
without changes the appearance of the

organism also violent mental emotions and Electricity to account for this can be done but as there is a limit to the Knowledge of human there is a danger of going beyond it. Nux in the evening Bulb in the Morning Acon evening. Bell in the Morning. Coni the wish belong to the alkalies are in the Morning Calc at two o'clock Hep. a little often Good deal more than giving the right remedy in the appreciation of medicines

Gardiner

Anatomy) derivation of the word Comparitive Anatomy comprizes the anatomy of all organized bodies compared, When confined to a single body it is termed

special anatomy. When confined to healthy subjects it is terms physiological anatomy. When in a diseased subject it is denominated pathological anatomy. Descriptive anatomy descirbes an organ size shape etc. General anatomy discribes the structure and unfold the appearance and so forth the external structure. Human body made up of solids and fluids. Where there are several organs united to carry on a single function it is termed an apparatus Angeology circulating system Wilson's Anatomy Myology or knowledge of the muscles Skeleton divided / Trunk, head superior & inferior extremities number of bones of the skeleton

Os hyoides 1

Cranium 8 Eight other
Face 14 sesamoid bones
Vertebral 26 Recorded the
ribs. sternum 25 bones of the bones
sup-extrem. 64 of the adult skeleton
inf. extrem 62 or 200
200

Small

Every thing celestial or
terrestrial is governed by
laws. We regard physiology
as confined solely to the
organic Kingdoms. Five orders
of nature mineral vegetable —
animal - human. Nature
divides into numerous branches
Zoology or natural History
mineralogy. Chemistry etc. etc. etc.

Humphrey. mod
Cutaneous system sufferers in Summer
Pulmonary system more liable
to suffer in Winter. Varicella
and pertussis are subject to
Children and Mat. to adolescence
Reactive influence of our system is
stronger when we are awake than when
we are asleep hence we are more
subject to the influence of morbific
causes when we are awake than
when we are awake.
Ptozoa are most subject to children
between the ages of 7 and 15 Bots
never prey on the stomach of horses
Youth from 15 to 25 years
Important changes are undergoing during this period
Exuberance during this period
Pneumonia common during this
disease and other pulmonary diseases
Period of bloom from 25

to 40 During this period
the person is most healthy
without an idiosyncrasy or
individuality. during the
close of this period serious
disease are subject. thypo.
piles etc. from 40 to 60
is the period of decline or
of evolution Exceptions to
this rule there is also a
case of sexual desire. during
this period renal system
seem to preponderate, fever.
from 65 to 80 there is still
a more decline Most of
Acten life decline much
slower than those of Consti
Tion temperaments Sanguin
temperaments subject to acute
diseases and when attacked
with disease are carried thro
quicker then other temperaments

Nervous temperaments subject to nervous or brain diseases
Lymphatic dullness predominates subject to dropsies. Melancholy is another temperament dark skin gloomy and likes to look on the dark side Besides these temperaments are of importance to us homeopathes as some medicines act better in one temperament than in another Sex also has influence over the influence of medicines diseases more slower and chronic in females: males to cerebral and arterial system
Idiosyncrasy. some disease may attack a person often when another may not take it though being of those most than the first

Williamson

Poppy head on the head Low head on the stomach eyebright to the liver. Onchus on the testicles Saffron in icterus Scrofularia or piles. (Doctrine of signatures) - also plants with lanceolate leaves to lanceolate veins. fishes, molusca, reptiles are the animals in which we form our animal medicines. Dynamics are the property of medicine these derived from an unhealthy persons are unreliable. Symptoms obtained from high attenuations are more reliable than symptoms obtained from low attenuations. Substances poisonous to one class of animals are more or less so to others. Dog and cat are nearer resemblance to

man upon which damages can be tried than any other animal homeopaths should be able to tell what drug a poisoned person has taken by the symptoms. principle methods of employing medicines. Antipathie allopathie et Homeopathie Hippocrates was acquainted with the first (methods Aliments or luding drinks Classed under this head saccharin oleaginous and albuminous

Sugar, gum, pectin (or vegetable jelly) mucilage has also been added to this substances starch lignin (hydrates of Carbon) are termed they and consist of O. H and C. gum is not crystalizable and not organized. In diabetes

the sugar prevails and allow the patient no sugar but in place farinaceous aliment should be substituted, Starch contains a large proportion of Carbon and can easily be changed into sugar. From common observation sugar is found to be highly nutritious. Where this substances is plenty every animal grows fat. In west indies Dogs and Negros are very fat, Fondness of Children for sugar can almost be said to be instinctive. Dogs and Geese die as from starvation if fed solely of sugar and water. Gum tho' the basis in mucilaginous substances and possess nutritious properties but difficult to digest. Fat as food is good towards of cold

Gluten or vegitable jelly
this is very nutritious and easily
to digest. Starch farinacea
This includes the farinaceous
articles viz wheat, sago, sta
it found in various parts of
plants and in the seeds of
fruit potatoes contain this
substances. Sago the stem
of which contains it, it will
often remain in the stomach
when all the articles of diet
will be evacuated. Animal
food should not be given
in Dysentery, Diarrhea or
from disease of the stomach
and intestines. Albumen is
less digestible by being well cook-
ed. Lignien or woody fibre
composition similar in all
plants. Laplanders live on a
bread made out of the bark

of Pinus sylvestris.





Yours respectfully
Theo. S. Geiger
Theo. Geiger



ASCeiger

E

1853

22100

VIS

22.000

Charles A. Geiger.

Manchester
Carroll County
Md

Geiger
Manchester



Mrs. S. Geiger





Semple



Electricity

R R Gregg

Philadelphia fashions

An Essay
on

Respectfully Submitted
To the Faculty of the

Homœopathic Medical College

of Pennsylvania
on the
day of January

one thousand eight hundred & fifty three
by

of





Theo. S. Geiger

Prof. S. G. Loomis

A patient

Cooper and Gilson going home

Receiving a bill

A BLOCK HEAD

Warranted fast colors.

I could a tale unfold

making both ends meet



W A G